



HDC-IR06/2M-2812-(B) (W)

2.4Megapixel 1080P HD Vari Focal 4 In 1 Bullet Camera



Features

- 1/3" 2.4 Megapixel CMOS
- IR Led: \varnothing 10.8X6 IR
- 1080P@25, 1080P@30
- Long Distance, No delay
- Support ICR auto switch
- Support AHD/ CVI/ TVI/ CVBS/Analog transfer



HDC-IR06/2M-2812-(B) (W)

2.4Megapixel 1080P HD Vari Focal 4 In 1 Bullet Camera

Specifications

Camera	
Image Sensor	1/3" 2.4 Megapixel CMOS
Effective Pixel	1944(H)×1092(V)
Video Frame Rate	PAL:25fps@1080P NTSC:30fps@1080P
Electronic Shutter	PAL:1/50s~1/300,000s NTSC:1/60s~1/300,000s
Min.Illumination	Color:0.1lux.BW:0.5lux.Color.DSS:0.017lux.BW DSS:0.0008lux
OSD	Yes
Synchronization	Internal
TV system	NTSC
Lens	
Lens	2.8~12mm
General	
Power Supply	DC12V
Power Consumption	700mA
Working Temperature	-10° C~+45° C

Packing Information



Unit G.W.	0.65KG
Dimensions(W*D*H)	270mm*75mm*130mm
Package/CTN	12PCS/CTN
CTN G.W.	13KG
Meas.	605*423*37mm



HDC-IR06/2M-2812-(B) (W)

2.4Megapixel 1080P HD Vari Focal 4 In 1 Bullet Camera

Dimensions (mm)



Winic Technologies USA Inc.

42 Central avenue, Farmingdale, New York 11735

Tel: +631-396-0800

Fax: +631-396-0805

Email:sales@winictech.com

www.winictech.com