16 ports Pot Fiber switch with 10/100/1000Mbps



Features:

Fully IEEE802.3af/at standard compliant

Support PoE power up to 15.4W for each PoE ports

Auto detect powered device(PD)

Safe and reliable power to most of PoE end device

Plug & Play. No configuration required

Introduction:

WINIC 16 ports PoE Switches fill the gap between unmanaged and fully managed switches. It is designed for growing businesses that want control over their network without the cost and complexity of a full Layer 3 manage ment implementation.

This PoE-capable Switch, provides power and data using built-in IEEE 802.3af PoE on all 24ports. In addition, W-POESW16P-2G-250 offers an intuitive Web based management tool for quick and easy deployment and configuration making the ideal for deploying access points, VoIP phones and IP-based surveillance camera.

Specification:

IEEE802.3i 10BASE-T

IEEE802.3u 10BASE-TX Network Standards IEEE802.3X Flow Control

IEEE802.3af Power over Ethernet

15.4 per port(IEEE802.3af)

PoE Power Wiring: Data provided over pairs over 1/2 and 3/6

Cable:Unshielded UPT cat.5 or higher

Store-and-forward

Processing types Half-duplex back pressure and IEEE802.3x full-duplex

flow control

Address database

Table Size

8000MAC address

3MB embedded memory per unit **Buffer memory**

Less than 20us for 64-byte frames in Store-and-forward **Network Latency**

mode for 100Mbps to 100Mbps transmission

-IEEE802.1 Q static VLAN (128 groups, static)

-IEEE802.1p Class of service (CoS)

-Port based QoS -DSCP-based QoS

-IEEE802.3 and link aggregation (Manual or LACP)

-IEEE802.1 D Spanning Tree Protocol

-SNMP v1, V2c, v3

-RFC 1213 MIB II

Administrative Switch Management

-RFC 1643 Ethernet interface MIB

-RFC 1493 bridge MIB -RMON Group 1,2,3,9 -RFC 2131 DHCP client

-IEE802.1x

-Port-based security by locked MAC addresses

-MAC ACI

-Storm control for broadcast, multicast and

unicast packets


-16 10/100 Mbps auto sensing Fast ethernet ports **Network ports**

-4 10/100/1000 Mbps auto-sensing Gigabit

Ethernet switching ports (RJ-45)

· -2 Dual Personality SFP ports

Application Diagram



Ordering information:

- · W-POESW16P-2G-250 16 ports 10/100M PoE switch with
- · 2 10/100/1000 Fiber ports.

Winic Technologies USA Inc.

42 Central avenue, Farmingdale, New York 11735 Tel:

+631-396-0800

Fax: +631-396-0805

Email:sales@winictech.com